

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Addiese: COMMISSIONER FOR PATENTS P O Box 1450 Alexandria, Virginia 22313-1450 www.wepto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.		
10/596,977	05/14/2007	Peiqi Jiang	ESSR:118US/10608218	3720		
32425 FULBRIGHT	7590 04/15/201 & JAWORSKI L.L.P.	EXAMINER				
600 CONGRE	SS AVE.		DYE, ROBERT C			
SUITE 2400 AUSTIN, TX	78701		ART UNIT	PAPER NUMBER		
,			1747			
			NOTIFICATION DATE	DELIVERY MODE		
			04/15/2011	EL ECTRONIC		

# Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Notice of the Office communication was sent electronically on above-indicated "Notification Date" to the following e-mail  $\,$  address(es):

aopatent@fulbright.com

# Application No. Applicant(s) 10/596.977 JIANG ET AL. Office Action Summary Examiner Art Unit

		HOREH L DAE		1/4/			
The MAILING DATE of this community Period for Reply	unication appe	ears on the cover	sheet with the c	orrespondence ad	dress		
A SHORTENED STATUTORY PERIOD WHICHEVER IS LONGER, FROM THE Extensions of time may be available under the provision after SX (6) MONTHS from the making date of this core of the state of th	MAILING DA ons of 37 CFR 1.13 mmunication. I statutory period wi ply will, by statute, as after the mailing	TE OF THIS CO 6(a). In no event, hower Ill apply and will expire S cause the application to	MMUNICATION ver, may a reply be time IX (6) MONTHS from become ABANDONE	N. nely filed the mailing date of this co D (35 U.S.C. § 133).			
Status							
1) Responsive to communication(s) f	filed on 11 Ma	arch 2011.					
2a) This action is FINAL.	ı)☑ This action is <b>FINAL</b> . 2b)☐ This action is non-final.						
<ol> <li>Since this application is in condition</li> </ol>	3) Since this application is in condition for allowance except for formal matters, prosecution as to the merits is						
closed in accordance with the prac-	ctice under E	x parte Quayle, 1	935 C.D. 11, 45	53 O.G. 213.			
Disposition of Claims							
4) Claim(s) 39-81 is/are pending in the	ne application						
4a) Of the above claim(s) is	/are withdraw	n from considera	tion.				
5) Claim(s) is/are allowed.							
6)⊠ Claim(s) <u>39-81</u> is/are rejected.							
7) Claim(s) is/are objected to.							
8) Claim(s) are subject to rest	riction and/or	election requiren	nent.				
Application Papers							
<li>9) The specification is objected to by the specific of the</li>							
10)⊠ The drawing(s) filed on <u>30 June 20</u>			-	-			
Applicant may not request that any ob	-		-				
Replacement drawing sheet(s) including 11) The oath or declaration is objected	•	•	•	•			
Priority under 35 U.S.C. § 119							
12) Acknowledgment is made of a clair a) All b) Some * c) None of: 1. Certified copies of the priorit		•		r-(d) or (f).			
Certified copies of the priority documents have been received in Application No							
<ol> <li>Copies of the certified copie application from the Internat</li> </ol>				ed in this National	Stage		
* See the attached detailed Office act	tion for a list o	of the certified cop	pies not receive	d.			
Attachment(s)							
1) Notice of References Cited (PTO-892)	ANTON IN LINE		nterview Summary				

Attachment(s)		
Notice of References Cited (PTO-892)     Notice of Draftsporson's Patent Drawing Fewisw (PTC-942)	Interview Summary (PTO-413)     Paper No(s\/Mail Date.	
Information Disclosure Statement(s) (PTO/SB/08)	5) Notice of Informal Patent Application	
Paper No(s)/Mail Date <u>3/11/2011</u> .	6)  Other:	

Application/Control Number: 10/596,977 Page 2

Art Unit: 1747

#### DETAILED ACTION

This is a Final Office Action in response to Applicant's reply, dated 3/11/2011.
 Claims 39-81 are pending.

### Claim Rejections - 35 USC § 103

- The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:
  - (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.
- 3. The factual inquiries set forth in *Graham v. John Deere Co.*, 383 U.S. 1, 148 USPQ 459 (1966), that are applied for establishing a background for determining obviousness under 35 U.S.C. 103(a) are summarized as follows:
  - 1. Determining the scope and contents of the prior art.
  - Ascertaining the differences between the prior art and the claims at issue.
  - 3. Resolving the level of ordinary skill in the pertinent art.
  - Considering objective evidence present in the application indicating obviousness or nonobviousness.
- Claims 39-58, 63-66, 68-70, 76 and 77 are rejected under 35 U.S.C. 103(a) as being unpatentable over Gupta et al. (USP 5,512,371) in view of Jiang et al. (USP 6,562,466).
- 5. Regarding claims 39 and 76, Gupta et al. (hereinafter Gupta) teach a process for transferring a single monolayer coating onto a surface of a lens preform comprising providing a finished or semi-finished optical preform having at least one geometrically defined surface (col 3. line 25-36, item 11. Fig. 1); providing a mold part having an

Art Unit: 1747

internal surface and an external surface (mold 13); depositing liquid curable coating composition between mold and preform; moving the preform and mold together; applying sufficient pressure to spread the liquid curable coating resin; curing the resin; and recovering the coating article (col 4, lines 42-49; col 5, lines 28-31, 36-45, 60-64; col 6, lines 57-60).

- 6. Gupta is silent on the roughness of the lens surface and does not teach provision of the optical lens having at least one fined but unpolished geometry defined main face having a root mean square profile higher than or equal to 0.01um. In the same field of endeavor of applying coating to optical articles, Jiang teaches that an optical lens can be provided in a coating process wherein the lens has a fined but unpolished surface with surface roughness ranging from 0.001 um to 1um (col 3, lines 24-35) to eliminate the additional step of polishing the lens surface prior to coating (col 7, lines 50-62). Jiang states that by using the smoothing machine, the lens can be coated to save polishing. It would have been obvious to a person having ordinary skill in the art to provide a fined but unpolished lens to a coating process as taught by Jiang in the method of Gupta for the purpose of eliminating the need to first polish the lens surface.
- Regarding claim 40, Gupta teach that the liquid coating composition layer is cured under pressure (col 5, lines 36-45).
- 8. Regarding claim 41, Gupta teach that the mold part is glass or metal (col 3, lines 11-24) and that the curvature of the surface of the mold is preferably matched to the curvature of the surface of the lens preform (col 4, lines 46-48).

Art Unit: 1747

9. Regarding claims 42 and 46, Gupta teach that the mold is made of plastic (col 3, lines 11-14). It is noted that plastic is more flexible than glass or metal. Gupta also teach that the curvature of the surface of the mold is preferably matched to the curvature of the surface of the lens preform (col 4, lines 46-48).

- 10. Regarding claims 43-45, 47, 51 and 52, Gupta does not teach the use of an inflatable flexible membrane, a flexible mold made of polycarbonate or PMMA, or the pressure exerted. Jiang discloses a coating system for applying coatings to an optical article wherein said system does not necessitate the use of specific mold parts for each prescribed final lens geometry and which does not entail any deformation of the lens blank (col 2, lines 40-43; lines 45-48). Said coating system employs a flexible membrane made of polycarbonate with thickness of 0.3 to 1mm (col 3, lines 44-46, 58; col 4, lines 9-11). Further, Jiang teaches a preferable pressure range of 5 to 20psi (35 to 138kPa; col 3, lines 47-48). It would have been obvious to a person having ordinary skill in the art to employ the flexible membrane system taught by Jiang to apply the coating layer of Gupta for the purpose of avoiding any deformation of the lens blank (Jiang, col 2, lines 40-42).
- 11. Regarding claim 48, Gupta teach the liquid is UV curable (col 5, lines 60-66).
- Regarding claims 49 and 50, Gupta teach the mold part is UV-transparent plastic (col 3. lines 11-14).
- 13. Regarding claims 53-58, Jiang teaches that the surface roughness of the provided lens can be 0.001 um to 1um (col 3, lines 24-35). Gupta teach that the preform is made of polycarbonate (col 3, lines 25-38).

Art Unit: 1747

 Regarding claim 63, Gupta discloses selecting a coating resin with refractive index similar to the optical article (col 2, lines 25-31).

- Regarding claim 64, Gupta teach that the resin provides anti-scratch properties
   (col 3. lines 1-9; col 7, lines 10-12).
- Regarding claim 65 and 70, Gupta teach the main face of the preform may be the back face of the preform (col 4, lines 35-41).
- Regarding claims 66 and 68, Gupta teaches that the optical article is a lens (col
   line 25) and that the lens may be colored or coated with photochromatic materials
   (col 4, lines 21-25).
- 18. Regarding claim 69, Gupta teach that the article is a lens preform (col 3, line 25).
- 19. Regarding claim 77, as discussed above, Jiang discloses that coating can eliminate the need for polishing step. Therefore, it would be expected that the coated surface roughness would be under 0.01um.
- Claims 59-62 are rejected under 35 U.S.C. 103(a) as being unpatentable over Gupta et al. (USP 5,512,371) and Jiang et al. (USP 6,562,466) as applied to claim 39 above, and further in view of Sherman (USP 3,458,348).
- 21. Regarding claims 59-62, Gupta does not disclose the thickness of the applied coating. In the same field of endeavor of applying coatings to optical elements, Sherman teaches that the thickness of a coating applied to the optical base can vary widely depending upon the method of coating, the surface roughness and general requirement of the specific application. Sherman further discloses that the thickness

Art Unit: 1747

commonly ranges from 10um to 100mm depending on the end result desired (col 6, lines 59-70). Further, Jiang discloses that the coating application device is capable of providing coatings less than 10um (col 4, line 55; col 5, line 3). It would have been obvious to person having ordinary skill in the art at the time of the invention to employ coating thicknesses as claimed in the method of Gupta in view of Jiang for the purpose of fulfilling the desired application as taught by Sherman. One would be motivated to employ thinner coatings for the benefit of reducing the amount of coating material required or to reduce the overall weight or size of the lens.

- 22. Claim 67 is rejected under 35 U.S.C. 103(a) as being unpatentable over Gupta et al. (USP 5,512,371) and Jiang et al. (USP 6,562,466) as applied to claim 39 above, and further in view of Degand et al. (USP 6,489,028, of record).
- 23. Regarding claim 67, Gupta in view of Jiang teach the method of claim 39 as described above and further discloses anti-reflective coatings as conventional but does not teach applying anti-reflective coatings onto the cured coating. In the same field of endeavor of molding optical articles, Degand et al. disclose that it is known to apply an anti-reflective coating to the cured surface of the lens (col 6, lines 1-6). Therefore it would have been obvious to a person having ordinary skill in the art at the time the invention was made to employ a known sequence of steps for applying the anti-reflective coating to the surface of the cured lens as taught by Degand et al. in the method of Gupta (combined) for the purpose of providing a lens that has excellent

Art Unit: 1747

abrasion resistance while also having anti-reflective properties (col 5, line 38-col 6, line 9).

- 24. Claims 71, 72, 78 and 79 are rejected under 35 U.S.C. 103(a) as being unpatentable over Gupta et al. (USP 5,512,371) and Jiang et al. (USP 6,562,466) as applied to claim 39 above, and further in view of Brytsche et al. (USP 5,753,301, of record).
- as discussed above, but does not explicitly disclose the method is employed to coat a lens mold. However, in the same field of endeavor of coating optical articles, Brytsche et al. (hereinafter Brytsche) disclose that methods of coating lens, lens blanks, and lens molds are known to be interchangeable and equivalent (abstract). Thus, it would have been obvious to a person having ordinary skill in the art at the time the invention was made to utilize the method disclosed by Jiang to coat a lens mold since Brytsche disclose that lens molds, lens, and lens blanks may be coated through equivalent means. One having ordinary skill in the art would have been motivated to maximize the applications of Gupta (combined) method as suggested by the disclosure of the art-recognized equivalence of materials.
- Regarding claim 72, Brytsche teaches that the lens mold to be coated can be made of a number of suitable materials including glass (col 8, lines 30-35).

Art Unit: 1747

27. Regarding claim 79, Brytsche teaches that the lens mold to be coated can be made of a number of suitable materials including metal (col 8, lines 30-35), a non-transparent material.

- 28. Claim 73 is rejected under 35 U.S.C. 103(a) as being unpatentable over Gupta et al. (USP 5,512,371), Jiang et al. (USP 6,562,466) and Brytsche et al. (USP 5,753,301) as applied to claim 72 above, and further in view of Degand et al. (USP 6,489,028, of record).
- 29. Regarding claim 67, Gupta (combined) teach the method of claim 39 as described above and further discloses anti-reflective coatings as conventional but does not teach applying anti-reflective coatings onto the cured coating. In the same field of endeavor of molding optical articles, Degand et al. disclose that it is known to apply an anti-reflective coating to the cured surface of the lens (col 6, lines 1-6). Therefore it would have been obvious to a person having ordinary skill in the art at the time the invention was made to employ a known sequence of steps for applying the anti-reflective coating to the surface of the cured lens as taught by Degand et al. in the method of Gupta (combined) for the purpose of providing an optical article that has excellent abrasion resistance while also having anti-reflective properties (col 5, line 38-col 6, line 9).

Application/Control Number: 10/596,977 Page 9

Art Unit: 1747

30. Claims 74 and 80 are rejected under 35 U.S.C. 103(a) as being unpatentable over Gupta et al. (USP 5,512,371) and Jiang et al. (USP 6,562,466) as applied to claims 39 and 76 above, and further in view of Li et al. (USP 6,565,776, of record).

- 31. Gupta (combined) teaches the method of claims 39 and 76 as discussed above but does not teach the mold part is precoated with a release or protective coating. In the same field of endeavor of molding optical articles, Li et al. (hereinafter Li) teach that it is known to provide lens mold parts with a protective coating (abstract). Thus, it would have been obvious to a person having ordinary skill in the art at the time the invention was made to provide a protective layer to the mold part disclosed by Gupta (combined) as suggested by Li for the purpose of producing a mold part with greater dimensional stability and chemical resistance (abstract).
- 32. Claims 75 and 81 are rejected under 35 U.S.C. 103(a) as being unpatentable over Gupta et al. (USP 5,512,371) and Jiang et al. (USP 6,562,466) as applied to claims 39 and 76 above, and further in view of Keller et al. (USP 6,491, 851, of record).
- 33. Gupta (combined) teach the method of claims 39 and 76 as discussed above but do not teach a mold part having microstructure or a pattern to be duplicated in the lens bank. However, in the same field of endeavor of molding optical articles, Keller et al. (hereinafter Keller) disclose a mold part having a microstructure or a pattern to be duplicated in the lens blank (abstract). Thus, it would have been obvious to a person having ordinary skill in the art at the time the invention was made to employ a mold part

Page 10

Application/Control Number: 10/596,977

Art Unit: 1747

with a microstructured surface as disclosed by Keller in the method of Gupta (combined) to produce a lens with improved anti-clare properties (abstract).

## Response to Arguments

- Applicant's arguments filed 3/11/2011 have been fully considered but they are not persuasive.
- 35. Applicant argues the Examiner's obviousness argument hinges on excluding a key aspect of Jiang's disclosure and that the entire teachings are not being considered in that Jiang teaches that one must deposit multiple coating onto a fined but unpolished surface to achieve the appearance of a polished surface. Applicant argues that Gupta teaches that one must deposit a single coating onto a polished surface and Jiang teaches that one must deposit multiple coatings on an unpolished surface. In combining Gupta with Jiang, a person having ordinary skill in the art would be motivated to apply multiple layers to Gupta.
- 36. Examiner disagrees. The disclosures of Gupta and Jiang have been considered in their entirety. Regarding Gupta, Gupta is silent on the roughness of the lens and does not teach that one must deposit a single layer coating onto a *polished* lens surface, only a lens surface in general. Regarding Jiang's disclosure and coating of an unpolished lens, Jiang states that "by using the Gemini smoothing machine, the Rx lens could be coated to save polishing" (col 7, lines 55-62). Jiang does not state that a multilayer coating itself is necessary for unpolished lenses. A person having ordinary skill in the art at the time of the invention, upon reading the disclosure of Jiang, would infer that the

Art Unit: 1747

use of a Gemini smoothing machine to produce a lens having unpolished surface allows one to eliminate the additional step of polishing the lens via a coating process. Since Jiang does not teach that the coating process must be a bilayer coating, one having ordinary skill in the art would have appreciated that a single layer coaling such as Gupta could be modified to coat an unpolished lens.

#### Conclusion

 THIS ACTION IS MADE FINAL. Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the mailing date of this final action.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to ROBERT DYE whose telephone number is (571)270-7059. The examiner can normally be reached on Monday to Friday 9:00AM to 5:00 PM EST.

Application/Control Number: 10/596,977 Page 12

Art Unit: 1747

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Richard Crispino can be reached on (571)272-1226. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/RCD/

/Richard Crispino/ Supervisory Patent Examiner, Art Unit 1747